European Journal of Anaesthesiology 1993, **10**, 455–473

Author Index

Abe K, Inagaki Y and Iwanaga H. Effect of nicardipine on the blood flow velocity in the vessel near a cerebral aneurysm of the internal carotid artery during cerebral aneurysm surgery: its therapeutic use for intra-operative hypertension, 287
Abram SE *see* Mihic DN
Adams AP *see* Maurette P
Adriaensen H *see* Geernaert K
Akçabay M *see* Beyazova M
Akhtar TM, Kerr WJ and Kenny GNC. Effect of nitrous oxide on post-operative nausea and vomiting during propofol anaesthesia for short surgical operations, 337
Alon E *see* Atanassoff PG
Andersen K *see* Tonnesen E
Atanassoff PG, Alon E and Pasch T. Recovery after propofol, midazolam, and methohexitone as an adjunct to epidural anaesthesia for lower abdominal surgery, 313
Ausems MEM *see* Burm AGL

Babacan A *see* Beyazova M
Bali IM *see* Cooper RA
Barbagli R *see* Rucci FS
Baysal AI *see* Beyazova M
Beller JP *see* Steib A
Benhamou D. French obstetric anaesthetists and acid aspiration prophylaxis, 27
Bennett JR *see* Murphy PG
Benzer A *see* Gottardis M
Berge JA, Gramstad L and Jensen O. A training simulator for detecting equipment failure in the anaesthetic machine, 19
Berwick EP *see* Fawcett WJ
Beyazova M, Babacan A, Bilir E, Akçabay M, Kaya K & Baysal AI. Perineural pethidine: effects of different doses on nerve conduction, 353
Bilir E *see* Beyazova M
Boldt J, Hammermann H & Hempelmann G. What is the place of the phosphodiesterase inhibitors?, Supp. 8, 33
Bonke B *see* Jelicic M
Bonomo V *see* De Cosmo G
Booij LHDJ *see* Koopman-Kimenai PM
Boudaoud S, Jacob L, Lagneau F, Payen D, Servant J-M & Eurin B. Successful treatment of vasospastic acute ischaemia with intra-arterial nicardipine, 133
Bouly A, Nathan N & Feiss P. Comparison of omeprazole with cimetidine for prophylaxis of acid aspiration in elective surgery, 209
Bourget P *see* Narchi P
Boyd TH *see* Cooper RA
Burm AGL, Ausems MEM, Spierdijk J & Stanski DR. Pharmacokinetics of alfentanil administered at a variable rate during three types of surgery, 241

Caldicott LD *see* Dobson PMS
Carl G *see* Engelhardt W
Carter JA *see* Grange CS
Cattaneo I *see* Narchi P
Chadwick IS *see* Harper NJN
Christensen NJ *see* Tonnesen E
Chrubasik J, Chrubasik S & Martin E. The ideal epidural opioid – fact or fantasy?, 79
Chrubasik S *see* Chrubasik J
Clauss M *see* Gerlach H
Cooper R, Maddineni VR & Mirakhur RK. Clinical study of interaction between rocuronium and some commonly used antimicrobial agents, 331
Cooper RA, Devlin E, Boyd TH & Bali IM. Epidural analgesia for labour using a continuous infusion of bupivacaine and alfentanil, 183

D'Hollander A *see* Dejonckheere M
Davies MJ *see* Murphy PG
De Cosmo G, Primieri P, Mascia A, Gualtieri E, Bonomo V & Villani A. Intra-hospital transport of the anaesthetized patient, 231
de Lange JJ *see* Olthof CG
de Vries JPPM *see* Olthof CG
de Vries PMJM *see* Olthof CG
Dejonckheere M, Levarlet M & D'Hollander A. Intramuscular buprenorphine for pain relief after abdominal surgery: a comparison between on-demand and prophylactic administration, 291
Desmond MJ *see* Tarr TJ

Desmonts J-M & Duncan PG. A perspective on studies of anaesthesia morbidity and mortality, Supp. 7, 33
Devlin E *see* Cooper RA
Dick WF *see* Mauer DK
Dieterich HA *see* Grimm G
Dirksen R *see* Koopman-Kimenai PM
Dobson PMS, Caldicott LD & Gerrish SP. Delayed asystole during spinal anaesthesia for transurethral resection of the prostate, 41
Dodd FM. Blindness following bilateral neck dissection, 37
Dohi S *see* Nishikawa T
Doni L *see* Rucci FS
Donker AJM *see* Olthof CG
Drewe J *see* Strebel S
Du Plessis MC, Marshall Barr A, Verghese C & Lyall JRW. Fibreoptic bronchoscopy under general anaesthesia using the laryngeal mask airway, 363
Duncan PG *see* Desmonts J-M
Duncan PG. The image of the anaesthetist, Supp. 7, 3

Edouard D *see* Narchi P
Eichhorn JH. The standards formulation process, Supp. 7, 9
Engelhardt W, Carl G & Hartung E. Intra-individual open comparison of burst-suppression-isoflurane-anaesthesia versus electroconvulsive therapy in the treatment of severe depression, 113
Eurin B *see* Boudaoud S
Evans JM *see* Ratcliffe FM

Fawcett WJ, Razis PA & Berwick EP. Post-operative cerebral infarction and Takayasu's disease, 33
Feiss P *see* Bouly A
Fitzgerald R, Kautzky M & Hackl W. Are laser-resistant endotracheal tubes safe with the new holmium:YAG infrared laser?, 433
Flörl C *see* Gottardis M
Foëx P *see* Sohma A
Forsman M *see* Karlsson BR
Frazer RS *see* Tarr TJ
Frei F *see* Strebel S
Freys G *see* Steib A

Gassner A *see* Grimm G
Geernaert K, Hody JL, Adriaensen H & Van Steenberge A. Does epidural injection of physiological saline facilitate the advancement of catheters?, 349
Gerlach H, Gerlach M & Clauss M. Relevance of tumour necrosis factor-α and interleukin-1-α in the pathogenesis of hypoxia-related organ failure, 273
Gerlach M *see* Gerlach H
Gerrish SP *see* Dobson PMS
Gervais HW *see* Mauer DK
Girotra S, Kumar S & Rajendran KM. Comparison of caudal morphine and buprenorphine for post-operative analgesia in children, 309
Gohard R *see* Steib A
Goldhill DR *see* Steib A
Goldhill DR *see* Grange CS
Gottardis M, Luger Th, Flörl C, Schön G, Penz Th, Resch H & Benzer A. Spirometry, blood gas analysis and ultrasonography of the diaphragm after Winnie's interscalene brachial plexus block, 367
Gramstad L *see* Berge JA
Grange CS, Suresh D, Meikle R, Carter JA & Goldhill DR. Intubation with propofol: evaluation of pre-treatment with alfentanil or lignocaine, 9
Gravenstein JS. Future areas for recommendations, Supp. 7, 24
Gravenstein JS. Introduction to the International Standards, Supp. 7, 8
Gravenstein JS. Technology and the growth of anaesthesiology as a specialty, Supp. 7, 42
Grimm G, Madl CH, Kramer L, Gassner, A, Leitha T, Dieterich HA & Lenz K. Beneficial cerebral effects of phosphodiesterase inhibitors (abstract), Supp. 8, 31
Gualtieri E *see* De Cosmo G

Hackl W *see* Fitzgerald R
Hahn RG. Blood volume at the onset of hypotension during TURP performed under epidural anaesthesia, 219
Hammermann H *see* Boldt J
Harper NJN, Chadwick IS & Linsley A. Suxamethonium and atracurium: sequential and simultaneous administration, 13
Hartung E *see* Engelhardt W
Hausdorf G. Experience with phosphodiesterase inhibitors in paediatric cardiac surgery, Supp. 8, 25
Heier MS *see* Karlsson BR
Hempelmann G *see* Boldt J

Hody JL *see* Geernaert K
Höhndorf K *see* Tonnesen E
Houweling PL, Ionescu TI, Leguit P, Van Der Tweel I & Smalhout B. Comparison of the cardiovascular effects of intravenous, epidural and intrathecal sufentanil analgesia as a supplement to general anaesthesia for abdominal aortic aneurysm surgery, 403
Hovorka J, Kallela H & Korttila K. Effect of intravenous diclofenac on pain and recovery profile after day-case laparoscopy, 105
Hüttel MS *see* Tonnesen E

Ikeda K *see* Kato T
Inagaki Y *see* Abe K
Ionescu TI *see* Houweling PL
Irjala J, Kanto J & Scheinin M. Monoamine metabolite and catecholamine measurements in cerebrospinal fluid in determining the quality of the pre-operative night's sleep, 393
Iwanaga H *see* Abe K

Jacob L *see* Boudaoud S
Jelicic M, Bonke B & Millar K. Effect of different therapeutic suggestions presented during anaesthesia on post-operative course, 343
Jensen O *see* Berge JA
Jones JG *see* Murphy PG
Joshi R & Sivaganesanathan A. Tiapride versus metoclopramide: comparison after minor gynaecological surgery, 109

Kallela H *see* Hovorka J
Kanto J *see* Irjala J
Karlsson BR, Forsman M, Roald OK, Heier MS & Steen PA. Azepexole, a potent α_2-agonist with anaesthetic effects, does not affect cerebral energy consumption in dogs given isoflurane, 119
Karlsten R & Kristensen JD. Nitrous oxide does not influence the surgeon's rating of operating conditions in lower abdominal surgery, 215
Kato T, Takase H, Waguri Y, Ikeda K & Takahashi. Epidural anaesthesia for insertion of a femoral neck prosthesis in a patient with phaeochromocytoma, 441
Kaufmann MA *see* Schaefer H-G
Kautzky M *see* Fitzgerald R
Kaya K *see* Beyazova M
Kenny GNC *see* Akhtar TM
Kerr WJ *see* Akhtar TM
Kho HG, Kloppenborg PWC & van Egmond J. Effects of acupuncture and transcutaneous stimulation analgesia on plasma hormone levels during and after major abdominal surgery, 197
Kloppenborg PWC *see* Kho HG
Koopman-Kimenai PM, Vree TB, Booij LHDJ, Dirksen R & Nijhuis GMM. Pharmacokinetics of intravenously administered nicomorphine and its metabolites in man, 125
Korttila K *see* Hovorka J
Kouw PM *see* Olthof CG
Kristensen JD *see* Karlsten R
Kumar S *see* Girotra S

Lagneau F *see* Boudaoud S
Leguit P *see* Houweling PL
Leitha T *see* Grimm G
Lenz K *see* Grimm G
Lerbjerg G *see* Tonnesen E
Levarlet M *see* Dejonckheere M
Linsley A *see* Harper NJN
Lleu JC *see* Steib A
Loisance D & Sailly JC. Cost-effectiveness in patients awaiting transplantation receiving intravenous inotropic support, Supp. 8, 9
Luger TH *see* Gottardis M
Lyall JRW *see* du Plessis MC

Maddineni VR *see* Cooper R
Madl CH *see* Grimm G
Marsch SCU *see* Schaefer H-G
Marshall Barr A *see* du Plessis MC
Martin E *see* Chrubasik J
Marty J. Improving morbidity and mortality after cardiac surgery, Supp. 8, 3
Mascia A *see* De Cosmo G
Masuda Y *see* Ueda N
Mauer DK, Gervais HW, Dick WF & Rees GAD. Cardiopulmonary resuscitation (CPR) during pregnancy, 437
Maurette P, O'Flaherty D & Adams AP. Pre-oxygenation: an easy method for all elective patients, 413
Meikle R *see* Grange CS
Mihic DN & Abram SE. Optimal regional anaesthesia for abdominal hysterectomy: combined

subarachnoid and epidural block compared with other regional techniques, 297
Millar K *see* Jelicic M
Mirakhur RK *see* Cooper R
Moody RA *see* Stoneham MD
Moore NA *see* Tarr TJ
Murphy PG, Bennett JR, Myers DS, Davies MJ & Jones JG. The effect of propofol anaesthesia on free radical-induced lipid peroxidation in rat liver microsomes, 261
Muteki T *see* Ueda N
Myers DS *see* Murphy PG

Narchi P, Edouard D, Bourget P, Otz J & Cattaneo I. Gastric fluid pH and volume in gynaecologic out-patients. Influences of cimetidine and cimetidine-sodium citrate combination, 357
Nathan N *see* Bouly A
Nijhuis GMM *see* Koopman-Kimenai PM
Nishikawa T & Dohi S. Haemodynamic changes associated with thermodilution cardiac output determination during metabolic acidosis or hypoxic hypoxia in dogs, 321

O'Flaherty D. Heart rate variability and anaesthesia, 419
O'Flaherty D *see* Maurette P
Ohishi K *see* Ueda N
Olthof CG, de Vries JPPM, de Vries PMJM, Kouw PM, Donker AJM & de Lange JJ. The influence of Ringer's lactate and gelatin infusion on the internal fluid balance of healthy volunteers measured by a non-invasive conductivity technique, 397
Otteni J-C *see* Steib A
Ot J *see* Narchi P

Page VJ. Anaesthesia and radiofrequency endometrial ablation, 25
Pasch T *see* Atanassoff PG
Payen D *see* Boudaoud S
Penz Th *see* Gottardis M
Pippa P *see* Rucci FS
Primieri P *see* De Cosmo G

Rajendran KM *see* Girotra S
Raphael JH. Octreotide and dependence on ventilatory support, 235
Ratcliffe FM & Evans JM. Neonatal wellbeing after elective caesarean delivery with general, spinal, and epidural anaesthesia, 175
Razis PA *see* Fawcett WJ
Rees GAD *see* Mauer DK
Resch H *see* Gottardis M
Richardson J, Sabanathan S & Rogers C. Thoracotomy wound exploration in a single lung transplant recipient under extrapleural paravertebral nerve blockade, 135
Roald OK *see* Karlsson BR
Rogers C *see* Richardson J
Rosow CE *see* Strebel S
Rucci FS, Pippa P, Barbagli R & Doni L. How many interscalenic blocks are there? A comparison between the lateral and posterior approach, 303
Rudin H *see* Schaefer H-G
Runciman WB. Commentary on equipment recommendations, Supp. 7, 16
Runciman WB. Risk assessment in the formulation of anaesthesia safety standards, Supp. 7, 26
Ryder WA *see* Sohma A

Sabanathan S *see* Richardson J
Sailly JC *see* Loisance D
Schaefer H-G, Kaufmann MA, Marsch SCU & Rudin H. Is normal saline an acceptable alternative to silicone for lubricating fibrescopes?, 227
Scheinin M *see* Irjala J
Schön G *see* Gottardis M
Servant J-M *see* Boudaoud S
Shapira Y & Shohami E. Experimental studies on brain oedema after blunt head injury: experimental approaches from animal experimentation to actual or possible clinical application, 155
Shearer ES *see* Tarr TJ
Shohami E *see* Shapira Y
Sivaganesanathan A *see* Joshi R
Smalhout B *see* Houweling PL
Smith DC. Changes in recording electrode impedence during anaesthesia have no effect on evoked electromyographic responses, 371
Sohma A, Foëx P, Ryder WA & Wong LSS. Effect of isoflurane and halothane on regional cardiac stiffness, 253
Spierdijk J *see* Burm AGL
Stanski DR *see* Burm AGL
Steen PA *see* Karlsson BR

Steib A, Gohard R, Beller JP, Freys G, Lleu JC & Otteni J-C. Mixed venous oxygen saturation monitoring during liver transplantation, 267
Stoneham MD & Moody RA. Spinal anaesthesia for familial hypokalaemic periodic paralysis, 375
Strebel S, Frei F, Rosow CE & Drewe J. Central nervous system symptoms after intravenous lignocaine: dose-response during pregnancy, 101
Suresh D *see* Grange CS

Takahashi M *see* Kato T
Takase H *see* Kato T
Tarr TJ, Moore NA, Frazer RS, Shearer ES & Desmond MJ. Haemodynamic effects and comparison of enoximone, dobutamine and dopamine following mitral surgery, Supp. 8, 15
Tobata H *see* Ueda N
Tonnesen E, Höhndorf K, Lerbjerg G, Christensen NJ, Hüttel MS & Andersen K. Immunological and hormonal responses to lung surgery during one-lung ventilation, 189
Tsuda H *see* Ueda N
Ueda N, Muteki T, Tsuda H, Masuda Y, Ohishi K & Tobata H. Determining the optimal time for endotracheal intubation during onset of neuromuscular blockade, 3

Van Der Tweel I *see* Houweling PL
van Egmond J *see* Kho HG
van Steenberge A *see* Geernaert K
Verghese C *see* du Plessis MC
Villani A *see* De Cosmo G
Vree TB *see* Koopman-Kimenai PM

Waguri Y *see* Kato T
Wong LSS *see* Sohma A

Keyword Index

ACCIDENTS, CARDIAC ARREST, Supp. 7, 26
ACID-BASE EQUILIBRIUM
  acidosis, 321
  metabolic, 321
ACUPUNCTURE
  anaesthetic techniques, 197
ANAESTHESIA
  education, 19
  epidural, 219
  general, 343
  neurosurgical, 287
  obstetric, 27, 175, 183
  obstetrics, 101
  outpatient, 105
  pre-operative evaluation, Supp. 8, 3
ANAESTHESIA SAFETY
  International Standards, Supp. 7, 9
ANAESTHESISTS
  personality, Supp. 7, 3
ANAESTHETIC GASES
  nitrous oxide, 215, 337
  regional, 297
ANAESTHETIC TECHNIQUES
  brachial plexus, 303
  combined subarachnoid and epidural blockade, 297
  continuous paravertebral block, 135
  caudal epidural, 309
  epidural, 101, 175, 183, 313, 403, 441, 349
  general, 175
  induction, 413
  interscalene space, 303
  interscalene brachial plexus block, 367
  intrathecal, 403
  intravenous, 403
  laryngeal mask airway, 363
  lumbar infusion, 183
  one-lung ventilation, 189
  regional, 303
  spinal, 175
ANAESTHETICS, INTRAVENOUS, 241
  methohexitone, 313
  propofol, 9, 261, 313, 337, 413
ANAESTHETICS, LOCAL
  bupivacaine, 183, 313
  lignocaine, 101
ANAESTHETICS VOLATILE
  halothane, 253
  isoflurane, 113, 119, 253
ANALGESIA
  buprenorphine, 309
  children, 309
  post operative, 135, 309
  transcutaneous electrical stimulation, 197
ANALGESIC
  buprenorphine, 291, 309
ANALGESICS
  alfentanil, 9, 183, 241
  diclofenac, 105
  morphine, 309
  nicomorphine, 125
  pethidine, 353
  sufentanil, 403
ANTACIDS
  cimetidine, 357
  hydroxyzine, 357
  sodium citrate, 357
ANTIBIOTICS
  cefuroxime, 331
  metronidazole, 331
  netilmicin, 331
ARTERIES
  Takayasu's arteritis, 33

BIO-TRANSFORMATION
  nicomorphine, 125
BLOOD
  catecholamines, 189
  cortisol, 189
  natural killer cells, 189
BLOOD FLOW
  velocity, 287
BLOOD VOLUME, 219
BRAIN
  blood flow, 119
  burst-suppression-EEG, 113
  electroconvulsive therapy, 113
  metabolism, 119
  oxygen consumption, 119

CARDIOPULMONARY BYPASS, Supp. 8, 33
CENTRAL VENOUS PRESSURE, 219
CEREBROSPINAL FLUID
  composition, 393
COMPLICATIONS
  asphyxia, Supp. 7, 26
  bowel distension, 215
  burns, 25
  cerebral infarction, 33
  death, Supp. 7, 26
  endotracheal tube ignition, 433
  gastric acid aspiration, 27
  hypertension, 287
  hypotension, 219
  hypoxaemia, 413
  low-output state, Supp. 8, 25
  Mendelson's syndrome, 27
  methodology guidelines, Supp. 7, 33
  morbidity, Supp. 8
  morbidity and mortality, Supp. 7, 33
  mortality, Supp. 8, 3
  neurological, Supp. 7, 26
COMPUTERS, Supp. 7, 42

ECONOMICS
  cost-effectiveness, Supp. 8, 9
EDUCATION
  continuing, Supp. 7, 24
  public, Supp. 7, 3
  Simulators, Supp. 7, 42
ELECTRICAL SYSTEMS
  radiofrequency current, 25
EQUIPMENT, Supp. 7, 24, 42
  anaesthetic machines, 19
  analysers, Supp. 7, 16
  fibrescopes, 227
  Holmium: YAG laser, 433
  simulation, 19

GASTROINTESTINAL TRACT
  antacids, 27
  gastic pH and volume, 357

HAEMODYNAMICS
  oxygen consumption, 267
  oxygen supply, 267
HEART
  artificial implants, Supp. 8, 9
  cardiac output, 321
  diastole, 253
  dobutamine, Supp. 8, 15
  dopamine, Supp. 8, 15
  enoximone, Supp. 8, 15
  heart rate, 321
  inotropic support, Supp. 8, 9
  mechanics, 253
  region, 253
  stiffness, 253
  transplantation, Supp. 8, 9
HISTORY, Supp. 7, 3
HORMONES
  corticol, 393
  monoamines, 393
  response to surgical stress, 197
HYPNOTICS
  midazolam, 313, 393
  temazepam, 393
HYPOXIA, 321
  interleukin-1-α, 273
  organ failure, 273
  reoxygenation, 273
  tumour necrosis factor, 273

INTUBATION TRACHEAL, 3, 13
LOCAL ANAESTHETICS
  lignocaine, 9

MEASUREMENT TECHNIQUE
  blood gases, 367
  cardiac output, 321
  gastric pH and volume, 209
  intracellular and extracellular fluid volumes, 397
  spirometry, 367
  thermodilution, 321
METABOLISM
  Chain breaking antioxidant, 261
MONITORING, Supp. 7, 24, 42
  capnography, Supp. 7, 16
  electromyography, 371
  haemodynamics, 403
  mixed venous oxygen saturation, 267
  oximetry, Supp. 7, 16
  oxygen, Supp. 7, 16
  skin impedance, 371
  venous oximetry, 267

NERVE
conduction, 353
latency, 353
NEUROMUSCULAR RELAXANTS
atracurium, 13
rocuronium, 331
succinylcholine, 13
vecuronium, 3
NEUROMUSCULAR TRANSMISSION, 3
train-of-four response, 371

ORGANIZATIONS
World Federation of Societies of Anaesthesiology, Supp. 7, 9
OXYGEN
delivery systems, 413
pre-oxygenation, 413

PHARMACODYNAMICS, 331
PHARMACOKINETICS
alfentanil, 241
morphine, 125
nicomorphine, 125
6-nicotinoyl morphine, 125
PHARMACOLOGY
enoximone, Supp. 8, 25
H_2 receptor antagonists, 357
metoclopramide, 109
nicardipine, 287
phosphodiesterase inhibitor enoximone, Supp. 8, 33
tiapride, 109
POSITION
transport of patients, 231
PREMEDICATION, 393
antacids, 357
anti-emetic, 109
cimetidine, 209, 357
hydroxyzine, 357
omeprazole, 209
sedative, 109
sodium citrate, 357
PSYCHOLOGICAL RESPONSES
auditory perception, 343
therapeutic suggestions, 343

PSYCHOMETRIC TESTING, 313
PSYCHOTHERAPY, 113
PUBLICATIONS
standards, Supp. 7, 16

RECOVERY, 105
RISK, Supp. 7, 26

SLEEP, 393
SURGERY
abdominal, 291
abdominal hysterectomy, 297
aortic aneurysms, 403
cancer, 231
cardiac, Supp. 8, 3, 15, 33
cardiac paediatric, Supp. 8, 25
fibreoptic bronchoscopy, 363
gynaecologic, 25, 297, 357
intra-operative radiotherapy, 231
liver transplantation, 267
lung transplantation, 135
mitral valve, Supp. 8, 15
orthopaedic, 441
outpatient, 357
phaeochromocytoma, 441
photoablation, 433
thoracotomy, 135
transurethral prostatic resection, 219
upper abdominal, 197
SYMPATHETIC NERVOUS SYSTEM
α_2-adrenergic agonists, 119
azepexole, 119

TECHNIQUE
tracheal intubation, 9
TOXICITY
local anaesthetics, 101
TRACHEAL, 13
TRANSFUSION
colloid, 397
Ringer's lactate, 397

VOMITING
nausea, 337

Subject Index

Acid aspiration, comparison of omeprazole with cimetidine for prophylaxis (Bouly *et al.*), 209
Acupuncture, comparison with TES on hormone levels after abdominal surgery (Kho *et al.*), 197
Adrenaline, effect on end-tidal concentration of volatile anaesthetics (Röpcke & Schwilden), 50 (Abs)
Alfentanil, pharmacokinetics of during three types of surgery (Burm *et al.*), 241
Alfentanil, pre-treatment with, evaluation of effect on intubation with propofol (Grange *et al.*), 9
Alfentanil, with bupivacaine, comparison with bupivacaine alone for epidural analgesia in labour (Cooper *et al.*), 183
Anaesthesia, obstetric, avoidance of acid aspiration (Benhamou), 27
Anaesthetic machine, detecting failure of with simulator (Berge *et al.*), 19
Anaesthetists, their image (Duncan), Supp. 7, 3
Antibiotics, interaction with rocuronium (Cooper *et al.*), 331
ARDS, and sepsis, effect of intravenous fat on lung function in (Suchner *et al.*), 51 (Abs)
, effects of nitric oxide and prostacyclin on gas exchange in (Rossaint *et al.*), 49 (Abs)
, importance of intrathoracic blood volume and lung water measurements in (Zollinger & Pasch), 66 (Abs)
, influence of pentoxifylline-analogue on pulmonary mediator release (Koch *et al.*), 52 (Abs)
, specific role of granulocyte-elastase in the development of (Heine & Verbeke), 54 (Abs)
Artificial ventilation, use of clonidine to control restlessness during weaning from (Zalunardo *et al.*), 67 (Abs)
, weaning from and the influence of oxtreotide, Case report (Raphael), 235
Atracurium, sequential and simultaneous administration with suxamethonium (Harper *et al.*), 13
Auditory evoked responses in pigs (Schaefer *et al.*), 71 (Abs)
Azepexole, and cerebral energy consumption under isoflurane (Karlsson *et al.*), 119

Blindness, following bilateral neck dissection, Case report (Dodd), 37
Blood salvage, autologous, different methods of in cardiac surgery (Walpoth *et al.*), 379 (Abs)
Blood volume, during TURP under epidural anaesthesia and hypotension (Hahn), 219
, intrathoracic, measurement of in ARDS patients (Zollinger & Pasch), 66 (Abs)
Book review, Clinical Anaesthesiology Series: Outcome After Anaesthesia and Surgery (Desmonts), 239
, Critical Care Toxicology (Hoffman & Goldfrank), 45
, Essay Plans for Anaesthesia Exams (Michel *et al.*), 389
, Handbooks on Regional Anaesthesia (Wildsmith & Armitage), (Hoerster *et al.*), (Mulroy), (Scott), (Eriksson), 45
, MCQ Companion to the Textbook of Anaesthesia (Fell *et al.*), 151
, MCQ Tutor in Basic Sciences for Anaesthesia (Pinnock & Jones), 390
, MCQs in Anaesthesia: Basic Sciences (Kumar), 47
, Monitorage Non Invasif en Reanimation (Annat & Clergue), 151
, The History of Anesthesia: Third International Symposium Proceedings (Fink *et al.*), 389
, The Management of Acute Pain (Park & Fulton), 47
Brain death, stress reponses during explantation from organ donors (Fitzgerald *et al.*), 64 (Abs)
Bronchoscopy, fibreoptic, using the laryngeal mask airway (Du Plessis *et al.*), 363
Bupivacaine, comparison with bupivacaine and alfentanil mixture for epidural analgesia (Cooper *et al.*), 183
, epidural and subarachnoid use for hysterectomy (Mihic & Abram), 297

, intra-articular use after knee arthroscopy (Khoury *et al.*), 50 (Abs)
, comparison with morphine caudally in children (Girotra *et al.*), 309
Buprenorphine, comparison between on-demand and prophylactic administration (Dejonckheere *et al.*), 291
, comparison with morphine caudally for post-operative analgesia in children (Girotra *et al.*), 309

CABG, xanthine oxidase activity as indicator of reperfusion following (Bauch *et al.*), 58 (Abs)
Caesarean section, comparison of methods of anaesthesia on neonatal wellbeing (Ratcliffe & Evans), 175
Capillary perfusion, during cerebral ischaemia (Theilen & Kuschinsky), 383 (Abs)
, in brain and skeletal muscle during haemorrhagic shock (Theilen & Kuschinsky), 54 (Abs)
Cardiac output, comparison of measurements by thermodilution and Doppler probe (Armstrong & Campanelli), 142 (Abs)
Cardiopulmonary bypass, effect on neutrophil activation (Gardaz *et al.*), 145 (Abs)
, relevance of nasopharyngeal and core temperature as indicators of oxygen consumption (Stamataki *et al.*), 148 (Abs)
Cardiopulmonary resuscitation, during pregnancy (Mauer *et al.*), 437
Case report, acute ischaemia treated with nicardipine (Boudaoud *et al.*), 133
, asystole during spinal anaesthesia (Dobson *et al.*), 41
, blindness following neck dissection (Dodd), 37
, epidural anaesthesia in a patient with phaeochromocytoma (Kato *et al.*), 441
, octreotide, possible effect on ventilation (Raphael), 235
, spinal anaesthesia for familial hypokalaemic periodic paralysis (Stoneham & Moody), 375
, surgery, thoracatomy, use of paravertebral nerve block for wound exploration (Richardson *et al.*), 135
, Takayasu's disease and cerebral infarction (Fawcett *et al.*), 33
Cerebral blood flow, effect of azepexole during isoflurane anaesthesia (Karlsson *et al.*), 119
Cerebral ischaemia, capillary perfusion in (Theilen & Kuschinsky), 383 (Abs)
Cholecystectomy, laparoscopic, changes in arterial blood gases during (Luiz *et al.*), 60 (Abs)
, peri-operative morbidity following (Uhl *et al.*), 68 (Abs)
Cimetidine, comparison with omeprazole in prophylaxis of acid aspiration (Bouly *et al.*), 209
, versus cimetidine-sodium citrate combination on gastric pH and volume (Narchi *et al.*), 357
Clonidine, effect on intracranial pressure during intubation (Ravussin *et al.*), 139 (Abs)
, use of during weaning from mechanical ventilation (Zalunardo *et al.*), 67 (Abs)
CNS symptoms after intravenous lignocaine in pregnancy (Strebel *et al.*), 101
Complications, burns with radiofrequency endometrial ablation, avoidance of (Page), 25
, gastric acid aspiration, prophylaxis of (Benhamou), 27
, hypotension, use of phenylephrine (Goertz *et al.*), 381, 382 (Abs)
, of interscalene brachial plexus block (Gottardis *et al.*), 367
Conjunctival oxygen tension, in patients with stroke (Staedt & Heene), 60 (Abs)
CPR, during pregnancy (Mauer *et al.*), 437
CSF, measurement of monoamines and catecholamines and quality of pre-operative sleep (Irjala *et al.*), 393
, oxygen pressure measurements in (Dellbrugge *et al.*), 70 (Abs)
Current European Anaesthesiology, 445
Cyclo-oxygenase, inhibition of, effect on extravascular lung water (Segiet *et al.*), 56 (Abs)

Depression, comparison of deep isoflurane anaesthesia and ECT (Engelhardt *et al.*), 113
Diaphragmatic hernia, congenital, use of ECMO in (Lasch *et al.*), 61 (Abs)
Diazepam, continuous sedation in multiorgan failure (Wolowicka *et al.*), 144 (Abs)
Diclofenac, intravenous, after day-case laparoscopy (Hovoirka *et al.*), 105
Dobutamine, comparison with enoximone and dopamine following mitral valve surgery (Tarr *et al.*), Supp. 8, 15
, effect on oxygen consumption (Ensinger *et al.*), 140 (Abs)

Dopamine, comparison with enoximone and dobutamine following mitral valve surgery (Tarr *et al.*), Supp. 8, 15

ECMO, in children with diaphragmatic hernia (Lasch *et al.*), 61 (Abs)
ECT, versus isoflurane anaesthesia for the treatment of depression (Engelhardt *et al.*), 113
EEG, median frequency, as indicator of depth of isoflurane anaesthesia (Pomfrett *et al.*), 137 (Abs)
Electrodes, impedance of, effect of changes on evoked responses (Smith), 371
Endotracheal tubes, laser-resistant, effect of new laser (Fitzgerald *et al.*), 433
Enflurane, comparison with isoflurane and N_2O on recovery in geriatric patients (Nadstawek *et al.*), 57 (Abs)
, end-tidal concentration, effect of adrenaline (Röpcke & Schwilden), 50 (Abs)
Enoximone (Demeyere), Supp. 8, 1
, as inotropic support for patients awaiting transplantation (Loisance & Sailly), Supp. 8, 9
, comparison with dobutamine and dopamine following mitral valve surgery (Tarr *et al.*), Supp. 8, 15
, effect of in the presence of volatile anaesthetics (Molter *et al.*), 57 (Abs)
Epidural anaesthesia, comparison with esmolol to prevent haemodynamic disturbances during aortic reconstruction (Szulc *et al.*), 146 (Abs)
, comparison with general anaesthesia for Caesarean section, effect on neonatal wellbeing (Ratcliffe & Evans), 175
, for hip surgery in a patient with phaeochromocytoma, Case report (Kato *et al.*), 441
, for TURP, blood volume and hypotension (Hahn), 219
, high thoracic and lumbar, effect of phenylephrine on left ventricular function during (Goertz *et al.*), 143 (Abs)
, high thoracic, influence on left ventricular contractility (Goertz *et al.*), 65 (Abs)
, with propofol, midazolam or methohexitone, effect on recovery (Atanassof *et al.*), 313
Epidural analgesia, caudal route, comparison of morphine and buprenorphine in children (Girotra *et al.*), 309
, combined with subarachnoid for abdominal hysterectomy (Mihic & Abram), 297
, comparison of bupivacaine with bupivacaine plus alfentanil (Cooper *et al.*), 183
Epidural catheterization, influence of saline on ease of advancement (Geernaert *et al.*), 349
Epidural opioids, Review article (Chrubasik *et al.*), 79
Equipment, lubrication of fibrescopes with silicone or saline (Schaefer *et al.*), 227
Equipment, recommendations for safety (Runciman), Supp. 7, 16
Esmolol, versus epidural anaesthesia during major aortic surgery (Szulc *et al.*), 146 (Abs)
Etomidate, a new preparation in lipid (Langner *et al.*), 59 (Abs)

Familial hypokalaemic periodic paralysis, spinal anaesthesia for, Case report (Stoneham & Moody), 375
Fat emulsions, effect on lung function (Suchner *et al.*), 51 (Abs)
Fentanyl, comparison with propofol on changes in venous capacitance during induction (Kapral *et al.*), 63 (Abs)
Fetal and maternal effects of propofol in the pregnant ewe (Alon & Schnider), 61 (Abs)
Free radicals, effect of propofol on scavenging of (Murphy *et al.*), 261

Gastric insufflation pressure, during mask ventilation (Weiler & Heinrichs), 144 (Abs)
Gastric pH, and volume, effect of cimetidine and combination with sodium citrate (Narchi *et al.*), 357
Gelatin, comparison with Ringer's lactate in maintaining internal fluid balance (Olthof *et al.*), 397
Geriatric patients, recovery from anaesthesia in (Nadstawek *et al.*), 57 (Abs)
, role of anaesthesia in treating hip fractures (Ungemach *et al.*), 380 (Abs)
Granulocyte-elastase, role in the development of ARDS (Heine & Verbeke), 54 (Abs)

Haemoglobin solutions, vasoactive potency related to platelet activating factor (Koch *et al.*), 384 (Abs)
Halothane hepatitis, possible role of thymol in (Hutter & Laing), 237 (C)

Halothane, comparison with isoflurane on regional cardiac stiffness (Sohma *et al.*), 253
, effect of enoximone on haemodynamics with (Molter *et al.*), 57 (Abs)
Head injury, exerimental studies on brain oedema after, Review article (Shapira & Shohami), 155
Heart, asystole, during spinal anaesthesia, Case report (Dobson *et al.*), 41
, cardiac output, effects of metabolic acidosis or hypoxia (Nishikawa & Dohi), 321
, cardiac output, use of extravascular Doppler probe (Armstrong & Campanelli), 142 (Abs)
, cardiopulmonary bypass, effect on neutrophil activation (Gradaz *et al.*), 145 (Abs)
, effect of isoflurane and halothane on regional stiffness (Sohma *et al.*), 253
, left ventricular function, effect of phenylephrine during epidural anaesthesia (Goertz *et al.*), 143 (Abs)
, myocardial stiffness, effect of ischaemia (Marsch *et al.*), 138 (Abs)
, rate variability in anaesthesia (O'Flaherty), 419
, sinus arrhythmia, as indicator of the depth of isoflurane anaesthesia (Pomfrett *et al.*), 137 (Abs)
Hormonal responses to lung surgery (Tønnesen *et al.*), 189
Hormone levels, comparison of acupuncture and TES after major surgery (Kho *et al.*), 197
Hypoxia, associated with organ failure, relevance of tumour necrosis factor and Interleukin (Gerlach *et al.*), 62 (Abs), 273
Hysterectomy, combination of subarachnoid and epidural block for (Mihic & Abram), 297

Immunological responses to lung surgery (Tønnesen *et al.*), 189
Infarction, cerebral and Takayasu's disease, Case report (Fawcett *et al.*), 33
Intensive care, comparison of digital storage phosphor and conventional radiography in chest imaging (Busch *et al.*), 63 (Abs)
Interleukin-1-α, in the pathogenesis of hypoxia-related organ failure (Gerlach *et al.*), 62 (Abs), 273
International Task Force on Anaesthesia Safety (Robins), Supp. 7, 1
Interscalene block, influence on diaphragmatic function (Gottardis *et al.*), 367
, comparison between lateral and posterior approach (Rucci *et al.*), 303
Intracranial pressure, effect of sedation on after brain injury (Wolowicka *et al.*), 149 (Abs)
Intubation, comparison of suxamethonium and atracurium, sequentially and simultaneously (Harper *et al.*), 13
, effect of clonidine in patients with brain tumours (Ravussin *et al.*), 139 (Abs)
, endotracheal, optimal time for during onset of neuromuscular blockade (Ueda *et al.*), 3
, with propofol, effect of pre-treatment with alfentanil or lignocaine (Grange *et al.*), 9
Isoflurane, comparison with enflurance and N_2O on recovery in geriatric patients (Nadstawek *et al.*), 57 (Abs)
, comparison with halothane on regional cardiac stiffness (Sohma *et al.*), 253
, comparison with sufentanil in maintenance of body temperature (Cockroft *et al.*), 387 (C)
, effect of enoximone on haemodynamics with (Molter *et al.*), 57 (Abs)
, end-tidal concentration, effect of adrenaline (Röpcke & Schwilden), 50 (Abs)
, hypotension induced by, effects of phenylephrine on (Goertz *et al.*), 382 (Abs)
, versus ECT in the treatment of depression (Engelhardt *et al.*), 113

Laryngeal mask airway, use to aid fibreoptic bronchoscopy (Du Plessis *et al.*), 363
Laser, holmium:YAG infrared, effect on endotracheal tubes (Fitzgerald *et al.*), 433
Lignocaine, intravenous, central nervous system symptoms from (Strebel *et al.*), 101
, pre-treatment with, evaluation of effect on intubation with propofol (Grange *et al.*), 9
Liver, ischaemia of, measurement of high energy phosphates or heat output as predictors of recovery (Bach *et al.*), 385 (Abs)
, lipid peroxidation in, effect of propofol (Murphy *et al.*), 261
, possible role of thymol in pathogenesis of halothane hepatitis (Hutter & Laing), 237 (C)
, transplantation of, mixed venous oxygen saturation monitoring in (Steib *et al.*), 267
Lung function, effect of cyclo-oxygenase inhibition on lung water during hypoxia (Segiet *et al.*), 56 (Abs)

, effect of intravenous fat emulsions (Suchner *et al.*), 51 (Abs)
Lung water, measurement of in ARDS patients (Zollinger & Pasch), 66 (Abs)

Maternal and foetal effects of propofol in the pregnant ewe (Alon & Schnider), 61 (Abs)
Measurement technique, blood flow velocity, effect of nicardipine during cerebral aneurysm surgery (Abe *et al.*), 287
, blood volume, measured during TURP under epidural anaesthesia (Hahn), 219
, effect of electrode impedance on evoked electromyographic responses (Smith), 371
, extravascular Doppler probe (Armstrong & Campanelli), 142 (Abs)
, lubrication efficiency of silicone and saline on fibrescopes (Schaefer *et al.*), 227
, microcalorimetry or high energy phosphates as predictors of recovery after liver ischaemia (Bach *et al.*), 385 (Abs)
, mixed venous oxygen saturation, during liver transplantation (Steib *et al.*), 267
, monoamine metabolites and catecholamines in CSF as determinant of pre-operative sleep quality (Irjala *et al.*), 393
, non-invasive conductivity to measure intracellular, extracellular and blood volumes (Olthof *et al.*), 397
, spirometry and ultrasonography of the diaphragm, after interscalene block (Gottardis *et al.*), 367
, thermodilution cardiac output, haemodynamic changes during metabolic acidosis or hypoxia (Nishikawa & Dohi), 321
Mendelson's syndrome, avoidance of by prophylaxis, attitude of French obstetric anaesthetists (Benhamou), 27
Methohexitone, comparison with propofol and midazolam on recovery as adjuncts to epidural anaesthesia (Atanassoff *et al.*), 313
Metoclopramide, versus tiapride, for nausea and vomiting after gynaecological surgery (Joshi & Sivaganesanathan), 109
Microcirculation, influence of colloids in haemorrhagic shock (Bauer *et al.*), 53 (Abs)
Midazolam, comparison with propofol and methohexitone on recovery as adjuncts to epidural anaesthesia (Atanassoff *et al.*), 313
Morbidity and mortality, after cardiac surgery (Marty), Supp. 8, 3
, studies of anaesthesia-related (Desmonts & Duncan), Suppl 7, 33
Morbidity, peri-operative following laparoscopic cholecystectomy (Uhl *et al.*), 68 (Abs)
Morphine, comparison with bupivacaine intra-articularly after knee arthroscopy (Khoury *et al.*), 50 (Abs)
, comparison with buprenorphine caudally for post-operative analgesia in children (Girotra *et al.*), 309
Myocardial ischaemia, regional, effect on non-ischaemic myocardium (Marsch *et al.*), 138 (Abs)

Nausea and vomiting, after gynaecological surgery, effect of tiapride or metoclopramide (Joshi & Sivaganesanathan), 109
, post-operative, following propofol anaesthesia, effect of nitrous oxide (Akhtar *et al.*), 337
, use of oral ondansetron to prevent (Bouly *et al.*), 71 (Abs)
Neonates, wellbeing of, after Caesarean delivery (Ratcliffe & Evans), 175
Nerve conduction, effect of perineural pethidine on (Beyazova *et al.*), 353
Neuromuscular blockade, effect of recording electrode impedance on responses (Smith), 371
, optimal time for endotracheal intubation during onset of (Ueda *et al.*), 3
Neuromuscular relaxants, comparison of sequential and simultaneous administration of suxamethonium and atracurium (Harper *et al.*), 13
Neurophil activation, effect of CPB (Gardaz *et al.*), 145 (Abs)
Nicardipine, use during cerebral aneurysm surgery (Abe *et al.*), 287
, use to treat acute ischaemia, Case report (Boudaoud *et al.*), 133
Nicomorphine, pharmacokinetics of (Koopman-Kimenai *et al.*), 125
Nitric oxide, effects on gas exchange in ARDS (Rossaint *et al.*), 49 (Abs)
Nitrous oxide, comparison with isoflurane and enflurane on recovery in geriatric patients (Nadstawek *et al.*), 57 (Abs)

, effect on nausea and vomiting after propofol anaesthesia (Akhtar *et al.*), 337
, influence on operating conditions (Karlsten & Kristensen), 215
, influence on pulmonary shunting during one-lung anaesthesia (Hartung *et al.*), 55 (Abs)
Notes on books received, Allergic Reactions to Anaesthetics: Clinical and Basic Aspects (Assem), 48
, Anatomy for Anaesthetists (Ellis & Feldman), 319
, Hypoxia, Metabolic Acidosis, and the Circulation (Arieff), 48
, Principles and Practice of Pain Management (Warfield), 319
, Problems in Anesthesiology: Approach to Diagnosis (Galford), 152

Octreotide, and difficult weaning from artificial ventilation, Case report (Raphael), 235
Omeprazole, comparison with cimetidine in prophylaxis of acid aspiration (Bouly *et al.*), 209
Ondansetron, use to prevent post-operative nausea and vomiting (Bouly *et al.*), 71 (Abs)
Opioids, epidural, Review article (Chrubasik *et al.*), 79
Organ donors, stress responses during explantation (Fitzgerald *et al.*), 64 (Abs)
Oxygen consumption, during CPB, relevance of nasopharyngeal and core temperature (Stamataki *et al.*), 148 (Abs)
, effect of dobutamine on in volunteers (Ensinger *et al.*), 140 (Abs)
Oxygen saturation, by pulse oximeter, effect of pre-oxygenation (Maurette *et al.*), 147 (Abs), 413
, jugular, after electrical stimulation of the hypothalamus (Troncoso-San Martin & Gonzalez-Miranda), 141 (Abs)
, mixed venous, monitoring during liver transplantation (Steib *et al.*), 267
Oxygen tension, continuous measurement of in CSF (Dellbrugge *et al.*), 70 (Abs)
, conjunctival, after a stroke (Staedt & Heene), 60 (Abs)

Pain relief, post-operative use of buprenorphine (Dejonckheere *et al.*), 291
, post-operative, after knee arthroscopy, comparison of morphine and bupivacaine (Khoury *et al.*), 50 (Abs)
, post-operative, in children, comparison of morphine and buprenorphine caudally (Girotra *et al.*), 309
Pain, after day-case laparoscopy, effect of intravenous diclofenac (Hovorka *et al.*), 105
Papers presented at Academy meertings (Abstracts of), 49, 137, 379
Papers presented at Academy meetings (by title), 72
Paravertebral blockade, use in thoracotomy wound exploration (Richardson *et al.*), 135
Pentoxifylline-analogue, influence on pulmonary mediator release in ARDS (Koch *et al.*), 52 (Abs)
Pethidine, perineural, effect on nerve conduction (Beyazova *et al.*), 353
Phaeochromocytoma, use of epidural anaesthesia for insertion of femoral prosthesis, Case report (Kato *et al.*), 441
Pharmacokinetics, of alfentanil (Burm *et al.*), 241
, of intravenous nicomorphine and its metabolites (Koopman-Kimenai *et al.*), 125
, of continuous propofol infusion in renal failure (Nathan *et al.*), 65 (Abs)
Phenylephrine, cardiac effects during postural hypotension (Goertz *et al.*), 381 (Abs)
, effect on left ventricular function during epidural anaesthesia (Goertz, *et al.*), 143 (Abs)
, use in isoflurane-induced hypotension (Goertz *et al.*), 382 (Abs)
Phosphodiesterase inhibitors, in paediatric cardiac surgery (Hausdorf), Supp. 8, 25
, beneficial cerebral effects of (Grimm *et al.*), Suppl. 8, 31
, place of (Boldt *et al.*), Supp. 8, 33
Platelet activating factor, presence as vasoactive agent in haemoglobin solutions (Koch *et al.*), 384 (Abs)
Post-operative stay, in hospital, effect of therapeutic suggestion during anaesthesia (Jelicic *et al.*), 343
Postural hypotension, use of phenylephrine in (Goertz *et al.*), 381 (Abs)
Pre-oxygenation (Maurette *et al.*), 147 (Abs), 413
Pregnancy, central nervous system symptoms produced by intravenous lignocaine in (Strebel *et al.*), 101
, cardiopulmonary resuscitation in (Mauer *et al.*), 437
Premedication, with cimetidine or cimetidine-sodium citrate combination, influence on gastric pH and volume (Narchi *et al.*), 357

Propofol, comparison with fentanyl on changes in venous capacitance during induction (Kapral *et al.*), 673 (Abs)
, comparison with midazolam and methohexitone on recovery as adjuncts to epidural anaesthesia (Atanassoff *et al.*), 313
, effect on free radical-induced lipid peroxidation (Murphy *et al.*), 261
, effect on maternal and foetal cardiovascular and acid-base variables (Alon & Schnider), 61 (Abs)
, intubation with, evaluation of pre-treatment with alfentanil or lignocaine (Grange *et al.*), 9
, pharmacokinetics of in normal patients and patients with renal failure (Nathan *et al.*), 65 (Abs)
Prostacyclin, effects on gas exchange in ARDS (Rossaint *et al.*), 49 (Abs)
Pulmonary mechanics, during mask ventilation (Weiler & Heinrichs), 144 (Abs)
Pulmonary oedema, effect of different pathologies on filtration coefficients (Koch *et al.*), 52 (Abs)
Pulmonary shunting, influence of N_2O on during one-lung anaesthesia (Hartung *et al.*), 55 (Abs)
, effect of lung inflation (Rothen *et al.*), 383 (Abs)

Radiofrequency endometrial ablation, anaesthesia for (Page), 25
Radiography, of the chest in intensive care, comparison of digital storage phosphor and conventional film (Busch *et al.*), 63 (Abs)
Recovery, after day-case laparoscopy and diclofenac (Hovorka *et al.*), 105
, comparison of propofol, midazolam and methohexitone as adjuncts to epidural anaesthesia (Atanassoff *et al.*), 313
Renal failure, effect on pharmacokinetics of propofol (Nathan *et al.*), 65 (Abs)
Review article, The ideal epidural opioid (Chrubasik *et al.*), 79
, Experimental studies on brain oedema after head injury (Shapira & Shohami), 155
, Heart rate variability and anaesthesia (O'Flaherty), 419
Risk assessment, in the formulation of safety standards (Runciman), Supp. 7, 26
Rocuronium, interaction with antimicrobial agents (Cooper *et al.*), 331

Safety, international standards for, Supp. 7, 12
Sedation in ITU, evaluation of diazepam (Wolowicka *et al.*), 144 (Abs)
Shock, haemorrhagic, capillary perfusion during in brain and skeletal muscle (Theilen & Kuschinsky), 54 (Abs)
, influence of different colloidal components on (Bauer *et al.*), 53 (Abs)
Simulator, for detecting equipment failure (Berge *et al.*), 19
Somatosensory evoked responses in pigs (Schaefer *et al.*), 71 (Abs)
Spinal anaesthesia, asystole during, Case report (Dobson *et al.*), 41
, comparison with general anaesthesia for Caesarean section, effect on neonatal wellbeing (Ratcliffe & Evans), 175
, for familial hypokalaemic periodic paralysis, Case report (Stoneham & Moody), 375
Stroke, conjunctival oxygen tension in (Staedt & Heene), 60 (Abs)
Sufentanil, comparison of intravenous epidural and intrathecal routes, cardiovascular effects during aortic surgery (Houweling *et al.*), 403
, comparison with isoflurane in maintenance of body temperature (Cockcroft *et al.*), 387 (C)
Suggestion, under anaesthesia, effect on hospital stay (Jelicic *et al.*), 343
Surgery, abdominal aortic aneurysm, use of sufentanil by intravenous epidural or intrathecal routes (Houweling *et al.*), 403
, abdominal aortic, comparison of esmolol and epidural anaesthesia (Szulc *et al.*), 146 (Abs)
, abdominal, comparison of acupuncture and TES on plasma hormone level (Kho *et al.*), 197
, abdominal, use of intramuscular buprenorphine on-demand or prophylactically (Dejonckheere *et al.*), 291
, bilateral neck dissection, blindness following, Case report (Dodd), 37
, CABG, xanthine oxidase activity as indicator of reperfusion following (Bauch *et al.*), 58 (Abs)
, cardiac, autologous blood salvaging in (Walpoth *et al.*), 379 (Abs)
, cardiac, experience with phosphodiesterase inhibitors (Hausdorf), Supp. 8, 25

, cardiac, morbidity and mortality after (Marty), Supp. 8, 3
, cerebral aneurysm, effect of nicardipine on blood flow velocity in (Abe *et al.*), 287
, comparison of recovery after propofol, midazolam and methohexitone with epidural anaesthesia (Atanassoff *et al.*), 313
, CPB, relevance of nasopharyngeal and core temperature as indicators of oxygen consumption (Stamataki *et al.*), 148 (Abs)
, elective Caesarean section, comparison of methods of anaesthesia on neonatal wellbeing (Ratcliffe & Evans), 175
, gynaecological, anaesthesia for endometrial ablation (Page), 25
, gynaecological, influence of cimetidine on gastric pH and volume (Narchi *et al.*), 357
, gynaecological, tiapride versus metoclopramide as anti-emetics (Joshi & Sivaganesanathan), 109
, hip fractures, role of anaesthesia (Ungemach *et al.*), 380 (Abs)
, hysterectomy, combination of subarachnoid and epidural block for (Mihic & Abram), 297
, knee arthroscopy, effect of intra-articular morphine and bupivacaine (Khoury *et al.*), 50 (Abs)
, laparoscopic cholecystectomy, changes in arterial blood gases during (Luiz *et al.*), 60 (Abs)
, laparoscopic cholecystectomy, peri-operative morbidity in (Uhl *et al.*), 68 (Abs)
, laparoscopic, day-case, effect of intravenous diclofenac on pain after (Hovorka *et al.*), 105
, lung, immunological and hormonal responses to one-lung ventilation (Tønnesen *et al.*), 189
, mitral valve, haemodynamic effects of enoximone, dobutamine and dopamine (Tarr *et al.*), Supp. 8, 15
, one-lung, anaesthesia for, influence of N_2O on pulmonary shunt (Hartung *et al.*), 55 (Abs)
, operating conditions in the lower abdomen, influence of nitrous oxide (Karlsten & Kristensen), 215
, transplantation, cost effectiveness of inotropic support before (Loisance & Sailly), Supp. 8, 9
, TURP, asystole during spinal anaesthesia for, Case report (Dobson *et al.*), 41
, TURP, monitoring fluid absorption during (Rancke *et al.*), 56 (Abs)
, TURP, under epidural anaesthesia, blood volume and hypotension during (Hahn), 219
Survey, anaesthetic audit in Lothian Region in Scotland (Humphreys *et al.*), 149 (Abs)
, of French obstetric anaesthetists and acid aspiration (Benhamou), 27
Suxamethonium, fatalities in children (Schulte-Sasse *et al.*), 379 (Abs)
, sequential and simultaneous administration with atracurium (Harper *et al.*), 13

Takayasu's disease and post-operative cerebral infarction, Case report (Fawcett *et al.*), 33
Technology, and the growth of anaesthesiology (Gravenstein), Supp. 7, 42
Temperature, body, changes with different anaesthetic techniques (Cockroft *et al.*), 387 (C)
The anaesthetist, his image (Duncan), Supp. 7, 3
Thymol, possible role in halothane hepatitis (Hutter & Laing), 237 (C)
Tiapride, versus metoclopramide, for nausea and vomiting after gynaecological surgery (Joshi & Sivaganesanathan), 109
Training, use of simulator for detecting equipment failure (Berge *et al.*), 19
Transcutaneous stimulation, comparison with acupuncture on hormone levels after abdominal surgery (Kho *et al.*), 197
Transport, of anaesthetized patients (Cosmo *et al.*), 231
Tumour necrosis factor, and Interleukin in hypoxia-related organ failure (Gerlach *et al.*), 62 (Abs), 273
TURP, under epidural anaesthesia, blood volume and hypotension (Hahn), 219

Unconscious perception, effect on post-operative course (Jelicic *et al.*), 343
Urapidil, haemodynamic effects of in coronary artery occlusion (Marcus *et al.*), 69 (Abs)

Vecuronium, determining optimal time for endotracheal intubation (Ueda *et al.*), 3
Ventilation, one-lung, immunological and hormonal responses to surgery (Tønnesen *et al.*), 189

Xanthine oxidase activity, as indicator of reperfusion after coronary artery bypass grafting (Bauch *et al.*), 58 (Abs)